propellor

Orée Sconce




The Orée sconce features a sculptural disc of solid hardwood that has been shaped with a series of furrows to create a striking composition that accentuates the organic beauty of the hardwood that it's carved from.

This modern wood sconce is backlit with a halo of light that illuminates the surrounding wall with a warm glow, making the Orée sconce a natural choice to light any space including hallways, bedrooms and entryways.

As with all of our wooden light fixtures, the Orée sconce is made from solid North American hardwoods, including walnut, oak, alder and ash. Orée sconces are hand-finished with a LEED compliant, low VOC, non-toxic, natural oil finish that brings the beauty of the wood grain to life.

propellor



ORÉE SCONCE

Description:

Solid wood LED wall light, furrowed or un-furrowed

Details:

Materials: alder, bleached white oak, white oak or walnut, custom available. Dimensions: Ø11", custom sizes available upon request.

Environmental:

natural oil and wax finishLED lamping

Lamping:

Warm white (3000K) or natural white (4000K) replaceable LED light strip Power supply: ELV Dimmable Class 2 AC/DC switch mode. Input 120V AC 50/60Hz, Output 12V DC

Regulatory Compliance:

All products are inspected and accepted by QAI Laboratories or CSA International prior to shipment. Final acceptance of the approval mark is subject to the requirements of the local Authority Having Jurisdiction.

propellor

ORÉE 11 SMOOTH


Dimensions: Ø11" Lamping: Warm white (3000K) or natural white (4000K) LED light strip Weight: approx 3lb. Retail: \$775 CAD

Ordering codes: OR11S_A (ash) OR11S_BWO (bleached white oak) OR11S_RA (red alder) OR11S_W (walnut) OR11S_WO (white oak)

ORÉE 11 FURROWED

Dimensions: Ø11" Lamping: Warm white (3000K) or natural white (4000K) LED light strip Weight: approx 3lb. Retail: \$885 CAD

Ordering codes: OR11F_A (ash) OR11F_BWO (bleached white oak) OR11F_RA (red alder) OR11F_W (walnut) OR11F_WO (white oak)



Ø11" —

2-3/8"

Typical lead times: 2-6 Weeks

 * prices reflect standard models, please contact us for enquiries regarding customisation.